



221601060139
有效期2025年3月20日

2024年03月20日

2024年03月20日

项目名称: 2024年03月20日

建设单位: 2024年03月20日

建设单位: 2024年03月20日

建设单位: 2024年03月20日

建设单位: 2024年03月20日

建设单位: 2024年03月20日

建设单位: 2024年03月20日

2024年03月20日

2024年03月20日

2024年03月20日

2024年03月20日

2024年03月20日

2024年03月20日

2024年03月20日

2024年03月20日

2024年03月20日

声 明

[illegible]

二、本縣古史輯佚外補遺：《河南古史輯佚外補遺》附《三松齋古史補遺》。和弼錫序云：“本縣古史輯佚外補遺”內附《晉政院勸勉育政云》、《禮部》、《監獄》、《用革》。和弼錫序云：“本縣古史輯佚外補遺”內附《晉政院勸勉育政云》、《禮部》、《監獄》、《用革》。

Figure 1 is a line graph showing the number of cases of COVID-19 in the United States from March 2020 to March 2021. The y-axis is labeled 'Number of cases' and ranges from 0 to 1,000,000. The x-axis is labeled 'Date' and shows months from March 2020 to March 2021. The graph shows a sharp increase in cases starting in March 2020, peaking in May 2020 at approximately 1,000,000 cases, followed by a decline and then a second, smaller peak in November 2020 at approximately 500,000 cases. Cases then decline again, with a small uptick in March 2021.

● 本报每日早晨6时、晚间8时

本公司及本公司之董事、高级管理人员、控股股东、实际控制人、关联方、关联自然人、关联法人均不存在任何与本次发行有关的内幕交易、操纵市场、欺诈发行等违法违规行为，不存在因涉嫌违法违规行为被中国证监会立案调查或者正在被中国证监会立案调查的情形，不存在因涉嫌违法违规行为被证券交易所立案调查或者正在被证券交易所立案调查的情形，不存在因涉嫌违法违规行为被中国证监会、证券交易所、其他有关机关采取行政监管措施、行政处罚、自律监管措施、自律处分、其他监管措施、其他处分的情形，不存在因涉嫌违法违规行为被中国证监会、证券交易所、其他有关机关采取行政监管措施、行政处罚、自律监管措施、自律处分、其他监管措施、其他处分的情形，不存在因涉嫌违法违规行为被中国证监会、证券交易所、其他有关机关采取行政监管措施、行政处罚、自律监管措施、自律处分、其他监管措施、其他处分的情形。

[illegible]

检 测 报 告

一、基本户自

检测类型	检测	检测地点	检测项目	检测频次
检测编号	检测日期/时间	检测地点	检测项目	检测频次
检测名称	检测地点	检测项目	检测频次	
检测类别	检测地点	检测项目	检测频次	
检测	西厂界、南厂界、东厂界、北厂界	厂界环境噪声	昼间和夜间1次，检测1次	

1. 检测依据及检测方法

1.1 检测依据的检测方法按照GB12348-2008。

1.2 检测依据的检测方法按照GB12348-2008。检测依据GB12348-2008。

1.3 检测依据的检测方法按照GB12348-2008。检测依据GB12348-2008。

1.4 检测依据的检测方法按照GB12348-2008。检测依据GB12348-2008。

1.5 检测依据的检测方法按照GB12348-2008。检测依据GB12348-2008。

1.6 检测依据的检测方法按照GB12348-2008。检测依据GB12348-2008。

2. 检测检测方法

类型	检测项目	检测标准 (方法) 名称 及编号 (如有)	检测标准来源、标准 及编号	备注
环境	环境检测	GB 12345-2000	GB 12345-2000	

三、检测结果

(1) 厂界环境噪声

检测结果 单位: dB(A)					
2024.10.10					
序号	检测点位	昼间	夜间	昼间	夜间
1#	东厂界	55	45	55	45
2#	南厂界	55	45	55	45
3#	西厂界	55	45	55	45
4#	北厂界	55	45	55	45
5#	东厂界	55	45	55	45
6#	南厂界	55	45	55	45
7#	西厂界	55	45	55	45
8#	北厂界	55	45	55	45
9#	东厂界	55	45	55	45
10#	南厂界	55	45	55	45
11#	西厂界	55	45	55	45
12#	北厂界	55	45	55	45
13#	东厂界	55	45	55	45
14#	南厂界	55	45	55	45
15#	西厂界	55	45	55	45
16#	北厂界	55	45	55	45
17#	东厂界	55	45	55	45
18#	南厂界	55	45	55	45
19#	西厂界	55	45	55	45
20#	北厂界	55	45	55	45
21#	东厂界	55	45	55	45
22#	南厂界	55	45	55	45
23#	西厂界	55	45	55	45
24#	北厂界	55	45	55	45
25#	东厂界	55	45	55	45
26#	南厂界	55	45	55	45
27#	西厂界	55	45	55	45
28#	北厂界	55	45	55	45
29#	东厂界	55	45	55	45
30#	南厂界	55	45	55	45
31#	西厂界	55	45	55	45
32#	北厂界	55	45	55	45
33#	东厂界	55	45	55	45
34#	南厂界	55	45	55	45
35#	西厂界	55	45	55	45
36#	北厂界	55	45	55	45
37#	东厂界	55	45	55	45
38#	南厂界	55	45	55	45
39#	西厂界	55	45	55	45
40#	北厂界	55	45	55	45
41#	东厂界	55	45	55	45
42#	南厂界	55	45	55	45
43#	西厂界	55	45	55	45
44#	北厂界	55	45	55	45
45#	东厂界	55	45	55	45
46#	南厂界	55	45	55	45
47#	西厂界	55	45	55	45
48#	北厂界	55	45	55	45
49#	东厂界	55	45	55	45
50#	南厂界	55	45	55	45
51#	西厂界	55	45	55	45
52#	北厂界	55	45	55	45
53#	东厂界	55	45	55	45
54#	南厂界	55	45	55	45
55#	西厂界	55	45	55	45
56#	北厂界	55	45	55	45
57#	东厂界	55	45	55	45
58#	南厂界	55	45	55	45
59#	西厂界	55	45	55	45
60#	北厂界	55	45	55	45
61#	东厂界	55	45	55	45
62#	南厂界	55	45	55	45
63#	西厂界	55	45	55	45
64#	北厂界	55	45	55	45
65#	东厂界	55	45	55	45
66#	南厂界	55	45	55	45
67#	西厂界	55	45	55	45
68#	北厂界	55	45	55	45
69#	东厂界	55	45	55	45
70#	南厂界	55	45	55	45
71#	西厂界	55	45	55	45
72#	北厂界	55	45	55	45
73#	东厂界	55	45	55	45
74#	南厂界	55	45	55	45
75#	西厂界	55	45	55	45
76#	北厂界	55	45	55	45
77#	东厂界	55	45	55	45
78#	南厂界	55	45	55	45
79#	西厂界	55	45	55	45
80#	北厂界	55	45	55	45
81#	东厂界	55	45	55	45
82#	南厂界	55	45	55	45
83#	西厂界	55	45	55	45
84#	北厂界	55	45	55	45
85#	东厂界	55	45	55	45
86#	南厂界	55	45	55	45
87#	西厂界	55	45	55	45
88#	北厂界	55	45	55	45
89#	东厂界	55	45	55	45
90#	南厂界	55	45	55	45
91#	西厂界	55	45	55	45
92#	北厂界	55	45	55	45
93#	东厂界	55	45	55	45
94#	南厂界	55	45	55	45
95#	西厂界	55	45	55	45
96#	北厂界	55	45	55	45
97#	东厂界	55	45	55	45
98#	南厂界	55	45	55	45
99#	西厂界	55	45	55	45
100#	北厂界	55	45	55	45

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

检测结果符合GB12348-2008标准。

松 湖 景 观

图 4-1 松湖景观现状图

