



报告

委托

样品

报告

报告

中



Figure 1. The effect of the concentration of the inhibitor on the rate of polymerization of α -methylstyrene in the presence of SnCl_4 at 25°C .

Figure 1. The effect of the concentration of the inhibitor on the rate of polymerization of α -methylstyrene in the presence of SnCl_4 at 25°C .

[illegible][illegible]

Figure 1 is a 3D bar chart illustrating the distribution of the number of children per family. The horizontal axis (x-axis) represents the number of children, ranging from 0 to 10. The vertical axis (y-axis) represents the number of families, ranging from 0 to 100. The depth axis (z-axis) represents the percentage of families, ranging from 0% to 100%. The chart shows that the majority of families have 1 or 2 children, with the percentage of families decreasing as the number of children increases.

[illegible]

● 2017 年 12 月 10 日

100

[illegible]

Figure 1 is a 3D bar chart illustrating the distribution of the number of children per family (Y-axis, 0 to 10) across different income levels (X-axis, 0 to 10000). The Z-axis represents the frequency or count of families. The chart shows that as income increases, the number of children per family generally decreases, with a notable peak at 1 child for higher income levels.

分到编

三

四

四

注
真

地址

度 ng/kg

质量浓度时

第 2 页

HC-03-S-24

当量(TEQ)

TEF

1

0.5

0.1

0.1

0.1

0.01

0.001

0.1

0.05

0.5

0.1

0.1

0.1

0.1

0.01

0.01

0.001

F 定
DD 质

当量

浓

多氯代二苯并——对——二噁英
多氯代二苯并呋喃
(F)
注：1.
2.毒性
3.样品
4.当实
出限计

地址：



水生生物
Hydrobiology

生物数据
Biological Data

附

图

1: 送检样品

照片



地址

：湖北省武汉市正

武昌区东